VOLUME I



POSTAGE METERS

CHAPTER 6

PART I

MPO POSTAGE METERS

600. <u>PURPOSE</u>. This section, in conjunction with Part 144, DMM (reference (i)), establishes policies and procedures for conducting postage meter operations at MPos. Specific instructions are provided for the procurement, control, and operation of postage meters, to include the remittance of funds and reports to USPS.

601. GENERAL .

- 1. Postage meters are furnished to MPOS primarily to provide a means of selling larger denominations of postage instead of stamps. Imprints made on gummed tape by postage meters are placed on articles being mailed as evidence of postage payment. A postage meter consists of a head and a base that are used together. The meter head prints the value of postage on a special tape designed for this purpose. The base operates the meter head. The meter head is the smaller of the two pieces and is designed to fit on the base (see figure 6-1 for meter base components and figure 6-2 for meter head components).
- 2. Postage meters can be requested by MPOS if parcel mail volume warrants. Postages meters and dies shall be procured as prescribed in DoD 4525.6-C (reference (m)). Postage meter equipment is assigned to a specific post office or finance unit and may not be transferred to another post office without the approval of the accountable postmaster (via JMPAs). Paragraph 608 covers procedures for sending in malfunctioning meters that are still required by the activity holding them. Functioning meters will not be turned into the accountable postmaster by any activity since another activity (possibly another service) may have a need for them. Activities wishing to turn in excess functioning meters must send a message to JMPAs, requesting disposition instructions.
- 3. PS Form 3602-PO shall be used to report meter sales to the accountable postmaster, record daily meter register readings, and report postage meter settings. These forms are issued in pads of 100 forms in triplicate and shall be requisitioned from the serving postmaster by letter (See DoD 4525.6-C). All PS Forms 3602-PO within a pad are accountable, serially numbered, and shall be issued in consecutive order. A separate pad shall be used for each meter operated at a post office. If a form is spoiled in any manner, all three copies shall be marked "Void" and the original forwarded to the accountable postmaster. The duplicate copy shall be retained, intact, in the pad and the triplicate copy destroyed.

602. CUSTODY-OF METERS

1. The designated COPE at activities where postage meter equipment has been issued is responsible for the meter, meter setting keys, meter tools, operating lever keys, manufacturer's meter seals, and sealing presses.

2. Two keys for unlocking the operating lever of the meter base shall be furnished with each meter. One key shall be made available to the operating clerk during each business day; the other key shall be retained by the COPE in a sealed envelope, PS Form 3977, bearing the signatures of a person designated to operate the meter and the COPE. Meter seals and tools for setting and sealing the meter shall remain in the possession of the custodian and not made available to postal clerks.

• • • • • • •

- 3. When not in use, meter heads, keys, seals, and tools shall be stored in safes, to which only the responsible custodian has the combination. Meter heads shall be packed in their equipment cases when safe size allows.
- 4. When it is impractical to have the COPE issue the meter and operating lever key to the operating clerk (e.g., the meter is operated at a location away from the COPE's duty station, or the COPE is unavailable, postal commanders shall designate in writing a PC, or if none is available, a commissioned, warrant, or noncommissioned officer to serve as meter custodian. Meter custodians so designated shall follow the operating instructions and accounting procedures for COPES detailed in this chapter; however, they are NOT AUTHORIZED TO SET OR OPERATE meters. (See paragraph 607.1).
- 5. Meter operators are responsible for locking the meter when not in use and safeguarding the key. During short absences, the operating clerk shall lock the meter base operating lever; during longer absences, such as for lunch, the clerk may release the meter to another clerk for operation. When so released the following procedures are required:
- a. The ascending and descending register readings shall be written on the reverse of the triplicate copy of PS Form 3602-PO and verified and initialed by both clerks.
- b. The regular clerk shall obtain a receipt on PS Form 1096 for any cash that may be turned over to the substitute clerk for making change.
- c. When the regular clerk returns, the register readings shall be noted and verified in the same manner. The ascending and descending meter readings shall be subtracted to determine the amount of meter sales for which the substitute operator is responsible.
- d. The substitute operator shall turn over to the regular operator all funds received from meter sales during the time he or she operated the meter and the change fund (if any) received from the regular operator. The regular operator shall include these funds with the remittance at the end of the business day.
- e. The substitute clerk shall obtain a receipt on PS Form 1096 for any cash turned over to the regular clerk.
- 6. Meter operators are responsible for all postage printed while in their custody. Tolerance limits do not apply to meter operations. Shortages shall be processed as outlined in Chapter 14, paragraph 1403.5. If a clerk

יין דיין איין איין ייי מתמתה היימהה only operates a meter, any overage shall be remitted with the current day's business. A letter of explanation shall accompany the submission explaining the reason the remittance and the PS Form 3602-PO do not match.

603. ISSUING METERS FOR BUSINESS,

- 1. The COPE or meter custodian shall:
- a. Efficient the date, meter number, and the beginning ascending and descending register readings on the PS Form 3602-P0.
 - b. Change the date of the meter postmarking die.
- c. Verify the entries on the PS Form 3602-PO with the clerk accepting the meter and initial all three copies of the form on the "Supervisor" line.
- d. Release the meter and operating lever locking key to the meter operator.
 - 2. The clerk accepting the meter shall:
- a. Verify the entries on the PS Form 3602-PO with the readings of the ascending and descending meter registers.
- b. Initial all three copies of the PS Form 3602-PO on the "Meter Operator" line.
- c. Retain the triplicate copy of the PS Form 3602-PO. The original and duplicate copies of the PS Form 3602-PO shall be retained in the book by the COPE.

604. METER OPERATIONS.

- 1. Postage meter postage shall be used primarily for parcel post and registered mail. Occasionally, clerks may sell meter postage for use on letters; however, meter postage normally should not be used as a substitute for regular postage.
- 2. Clerks shall affix the meter tape to parcels or letters in the presence of the mailer at the time of the transaction. As an exception, meter tapes may be sold in a reasonable number (not more than 5) for philatelic purposes. Philatelic tapes may not be issued for less than 5 cents.
- 3. Clerks shall use two or more tapes to cover postage that exceeds the Daximum amount a single meter tape will print. For example, if the total postage is \$12.50, one meter tape could be for \$9 and the second for \$3.50. Both tapes shall be affixed properly to the parcel or letter in accordance with Section 122.37, DMM (reference (i)).

605. CLOSEOU'I"OF"DAILY METER BUSINESS.

1. At the close of the business day, the meter operator shall:

a. Return the meter, operating lever locking key, the funds for postage sold, (during the business day these funds may be maintained with stock funds), and unused meter tapes issued in error to the COPE or meter custodian.



b. Verify entries on PS Form 3602-P0 made by the COPE against the ascending and descending meter register readings. Sign all three copies of the PS Form 3602-PO on the "Meter Operator" line.

2. The COPE or meter custodian shall:

- a. Reinsert the meter operators copy (triplicate) of the PS Form 3602-PO into the PS Form 3602-PO book. Record the ending ascending and descending meter readings on the PS Form 3602-PO for that day. Subtract both columns, then compare these totals, which should be equal. The cash received from the meter operator and unused meter tapes shall equal this total and shall represent the total sales for the business day.
- b. Verify all entries made on the PS Form 3602-PO and sign-all three copies on the "Supervisor" line. Both the meter operator and COPE shall also print their name and rank next to their signature (figure 6-3).
- c. Prepare a PS Form 1096 for all funds received from the meter clerk in duplicate. Give the original copy of PS Form 1096 and the completed triplicate copy of the PS Form 3602-PO to the meter operator.

606. REMITTANCE OF FUNDS.

- 1. The COPE, or designated custodian, shall remit postage meter funds to the accountable postmaster by registered USPS indicia mail on a daily basis. (See paragraph 606.4., for flexible credit submissions.) The remittance check shall be accompanied by the original of PS Form 3602-PO, original of any voided PS Form 3602-PO, personal checks (accepted for postage and postal finance services -- see paragraph 501.8), and unused meter tapes issued in error. Unused tapes due to error in the operation of the meter or malfunction of the meter shall be submitted with the remittance accompanied by a PS Form 3533. If unused tapes are not available due to meter malfunction, a letter stating circumstances shall be submitted with the remittance.
- 2. Treasury checks, military banking facility checks, personal checks, or no-fee MOS shall be used for the purpose of remitting postage meter funds to USPS. Cash will never be sent to USPS without prior approval by MPSA. Checks and no-fee MOS shall be made payable to the serving postmaster.
- 3. The check serial number, symbol number, and amount shall be recorded on the duplicate copy of the PS Form 3602-PO, or a copy of the bank receipt, customer's receipt if a no-fee MO is used (see Chapter 7, paragraph 706.4), or registry receipt (when personal checks are submitted--see chapter 5, paragraph 501.8d.(4)) shall be stapled thereto and shall be retained by the custodian.
- 4. COPES with flexible credits shall submit PS Form 3602-PO at the same interval as PS Form 1412B (figure 5-11). See paragraph 503.15 for remittance submission procedures if the flexible credit is issued by an accountable postmaster.

607. SETTING MPO/FPO POSTAGE METERS

588 38: • •

- 1. Only the COPE is authorized to set the meter. The meter shall be set at least once every 6 months or whenever the "Credit Balance" register becomes less than \$100.00 on a business day, whichever comes sooner. Postage leters that can be set as high as \$99,999.99 may not normally be set higher than the anticipated sales for the next 6 months. This amount usually can be derived by reviewing meter sales for the same period during the preceding year and adjusting for any increase in postage rates since then. A significant increase or decrease in population served also shall affect the amount of postage to be set on the meter.
- 2. The amount added by a meter setting shall be in a multiple of 10,000 units, which is \$100. These units are added to the descending register. For example, if the credit balance in the descending register is \$137.75 (13,775 units) and the custodian desires that the clerk have approximately \$5,000 in credit available, he or she would add 490,000 units (\$4,900), thereby increasing the credit balance to \$5,037.75 (503,775 units).
- 3. To lessen the possibility of error in the amount of postage expended and reported, the meter normally shall be set at the beginning of the business day before completion of the top portion of PS Form 3602-PO and issued to the operating clerk (See figure 6-4). If necessary, the COPE may set the meter during the workday but this should be avoided whenever possible (See figure 6-5). Setting the meter during the day can be avoided by ensuring that postage remaining on the meter is more than normally used on any given business day prior to issuing the meter to the operating clerk. The procedures for setting the meter are explained in the instruction book furnished by the accountable postmaster at the time the meter was issued to the MPO. Disregard references to records of settings as they do not apply to meters assigned for use at the MPO/FPO.
- 4. Further information concerning the operation and maintenance of postage meters maybe found in Part 144, DMM (reference (i)).
- 608. REPAIR OF DEFECTIVE POSTAGE METERS AND BASES. Refer to DoD Postal Supply Catalog, DoD 4525.6-C, (reference (m)).

VOLUME I

CHAPTER 6

PART 2

OFFICIAL MAIL POSTAGE METERS

for the MPO in regard to official mail postage meters outside the areas served by the USPS. Official mail postage meters are used by DoD activities at their own locations for applying postage to their official mail. These meters do not include those used by the MPO for applying postage to personal mail presented by customers at the MPO.

611. GENERAL REQUIREMENTS.

1. Licensing a Penalty Mail Postage Meter. Overseas military units and all other federal agencies Dust obtain a license from the serving gateway postmaster to use a penalty postage meter and have the meter set at an MPO/FPO. Agencies must submit a separate PS Form 3601-A, "Application for Postage Meter License," for each license they request. More than one meter may be assigned to one license at a given location (MPO/FPO address) but only one subcode may be assigned. Agencies requiring more than one subcode must request another license. MPOS are not authorized to issue licenses, but shall maintain a supply of PS Forms 3601-A on hand should they be required by a local agency. PS Form 3601-A shall be completed by the requesting activity in accordance with figure 6-6. The completed PS Form 3601-A will be mailed to the appropriate gateway postmaster:

a. Locations served by Postmaster New York or Miami

U.S. Postal Service Office of Mailing Requirements Attn: Meter Section Room 3220, JAF Building New York, New York 10199-9651

b. Locations served by Postmaster San Francisco or Seattle

U.S. Postal Service Office of Mailing Requirements Attn: Meter Section 1300 Evans Ave, Room 303 San Francisco, Ca 94188-9651

2. The DoD component and other federal agencies using official Deters are responsible for their operation and use. The COPE or Postal Finance Officer at each location where official penalty meters are in use shall maintain a copy of-the PS Form .3601-A, "Application for a Postage Meter License," for each meter with a separate subcode assigned. Meters cannot be used without a valid PS Form 3601-A issued by the serving gateway postmaster.

3. Transfer of Meters

a. Meters may be transferred to another location (MPO/FPO) under the same license only if they are to be used by the same unit for which the license was issued. The agency shall notify the serving gateway postmaster and both the gaining and losing MPO/FPOs by letter prior to moving the Deter.



- (1) When notified in writing by the licensee that a meter currently being set by the MPO is being relocated to another MPO/FPO under the same license, the COPE currently resetting the meter shall:
- (a) Annotate the original PS Form 3610 being maintained by the setting MPO with the register readings at the time of transfer and the address of the MPO/FPO where future settings are to be made. Draw a horizontal line under this last entry. The PS Form 3610 must be retained for 3 years. (See figure 6-7).
- (b) Prepare a newPS Form 3610 and send it byUSPS penalty mail to the MPO/FPO which will make future resets. The PS Form 3610 'will have one entry stating the MPO/FPO which previously did resets and the register readings when transferred.
- (2) When the activity first presents the meter for setting at the new-setting MPO/FPO, the COPE will follow the guidelines in paragraph 613.3. If the PS Form 3610 has not been received from the original setting location, obtain the required information necessary to complete the form by telephone.
- b. Meters may not be transferred between military units without obtaining a new license. Should a military unit be deactivated and the meter transferred to another unit, a new license shall be obtained.
- 4. <u>Canceling a license</u>. A license to operate a penalty mail postage meter may be canceled by the serving postmaster at the request of the government agency assigned the license or by action initiated by USPS:
- a. When a request is made by a government agency to cancel a license belonging to their activity:
- (1) Verify that all meters being operated under that licence have been canceled.
- (2) Prepare PS Form 3604, "Nonuse of Mailing Permit/Meter License" in four copies (see figure 6-8). Send the original to the address in paragraph 611.1 and second copy to address in paragraph 616.2. Give the activity representative the third copy and retain the fourth copy for the MPO/FPO files.
- b. When advised of action by USPS to cancel a license assigned to a government agency for cause (Part 144.23, DMM), the MPO/FPO activity chief shall contact their MACOM postal headquarters for guidance.

612. SUPPLIES REQUIRED.

1. Meter manufacturers shall furnish the COPE with instructions for setting various types of meters and provide keys to the locks on the recording

mechanism, a stylus (used to set the meter), lead seals, and a sealing device. The COPE shall maintain the instructions in a binder with the PS Form 3610. The COPE shall requisition additional lead seals from the meter manufacturer and maintain a supply of the following USPS forms:

- a. PS Form 3602-A, "Daily Record of Meter Register Readings."
- b. PS Form 3603, "Receipt For Postage Meter Settings."
- c. PS Form 3610, "Record of Postage Meter Settings."
- d. PS Form 3601-A, "Application for a Postage Meter License."
- e. PS Form 3977, "Duplicate Key Envelope."
- f. PS Form 3633-G, "Daily Activity Recap for Official Mail."
- g. PS Form 3533, "Application and Voucher for Refund of Postage and Fees."
- 2. The COPE shall issue a PS Form 3602-A to the meter operator for each meter when the meter is initially set or when a book is filled. At the end of each day that the meter is operated, the meter operator enters into the book the figures appearing in the ascending and descending registers. If the sum of the two figures does not equal the total entered at the last setting, the meter head shall be taken promptly to the COPE for examination. Disposition of the PS Form 3602-A is covered in appropriate Military Service regulatory documents.

613. INITIAL SETTING AND RESETTING OF A METER.

MAN THE STATE OF T

- 1. Official mail postage meters used overseas shall be set by the COPE at the serving MPO. The COPE shall set the descending register to the amount desired by the postage meter operator. The COPE shall reset the meter when requested by the operator (normally, when the credit balance register (descending register) becomes less than \$50). The postage meter operator shall bring the meter head to the MPO for setting. No meter reset fee is collected. The COPE, the MPO supervisor, and the postage meter operator shall be present when official meters are reset.
- 2. <u>Initial Setting of a Meter</u>. When an agency first presents a postage meter to the COPE to be set, follow the following steps:
- a. Verify that the unit has a meter license and that the "U.S. Official Mail" endorsement appears in the meter imprint.
- b. Set the meter to the amount requested by the agency and complete PS Form 3603, "Receipt for Postage Meter Settings." Use a separate receipt book from that used for commercial meters. A separate PS Form 3603 receipt book is not required for each official meter being set under the same license. (See figure 6-9).
- (1) Check the box provided on PS Form 3603 to indicate this is the first setting for the meter. Under the Official Mail Accounting System (OMAS) it is especially important that this box be checked.

c. Complete PS Form 3610, "Record of Postage Meter Settings." (See figure 6-10). Ensure that the meter license number is entered on the form. This form will be maintained in the MPO/FPO files.



- d. Give the unit representative the original copy of the PS Form 3603. The second copy shall be forwarded with PS Form 3633-G, "Daily Activity Recap for Official Mail" to the serving gateway postmaster (see paragraph 616.1). The triplicate copy shall be retained in the receipt book.
- 3. Resetting a Meter. When a unit representative presents a meter for resetting, the following procedures will be followed:
- a. Obtain the PS Form 3610 from the unit files that matches the meter serial number of the meter to be set.
- b. Set the meter to the amount requested by the unit representative and complete PS Form 3603 (See figure 6-9).
 - (1) DO NOT check the box on Form 3603 indicating first-setting.
- c. Complete the PS Form 3610 to reflect the net setting amount (See figure 6-10).
- d. Give the unit representative the original copy of the PS Form 3603. The second copy shall be forwarded with the PS Form 3633-G to the serving gateway postmaster (see paragraph 616.2). The triplicate shall be retained in the receipt book.

614. REFUNDING SPOILED METER POSTAGE.

- 1. Credit for spoiled penalty postage meter postage will be made under Part 147.252 and Part 147.253 of the Domestic Mail Manual (DMM) and this paragraph. When presented with spoiled penalty postage meter stamps for refund, the COPE shall:
- a. Assist the unit representative to complete the top portion of PS Form 3533. Prepare the PS Form 3533 in duplicate (See figure 6-ha and b).
- b. Complete the remainder of the PS Form 3533. In Part III of the form cross out "Received from the Postmaster at the office named above," so that the sentence now reads, "Refund in the amount of \$_." Enter the refund amount and date, and on the signature line of Part III enter the words "Official Mail" to indicate that no cash transaction occurred (See figure 6-ha).
 - (1) DO NOT make cash refunds or apply a refund to a meter.
- c. Attach the spoiled penalty meter stamps to the original copy of the PS Form 3533 and forward with the PS Form 3633-G to the serving gateway postmaster (See paragraph 616.2).
 - 615. CHECKING A METER OUT OF SERVICE. Official mailers must bring a postage meter to the MPO/FPO where it is normally set whenever the meter's mechanism becomes defective. The COPE will then check the meter "out of service." Meters may also be brought in and checked "out of service" if the activity no

longer desires to use the meter. The official mail activity shall also notify the meter manufacturer's representative that this is being done.

- ىنىپ يېتى سىسسىسىس
- 1. <u>Withdrawing a Meter</u>. A meter will be withdrawn when the using agency no longer needs the meter or when the meter is to be replaced (i.e., the old meter malfunctions). Within the MPS, the following procedures shall be followed:
- a. Complete a PS Form 3533, "Application and Voucher for Refund of , -Postage and Fees" (figure 6-12a and b).
 - b. Verify the control total against the control total entered on the PS Form 3610 for the meter.
 - (1) If the total readings (control total) of the ascending and descending registers are equal to or less than the control total recorded on the PS Form 3610 for the meter, the COPE shall:
 - (a) Credit the agency for the postage left on the meter by indicating a refund on the PS Form 3533. <u>DO NOT</u> give refunds by cash, check, or \Box oney order for unused postage (See figure 6-12a).
 - (b) Reset the meter descending register of the postage meter to zero or as close to zero as the descending register can be set. (Most meters will lock out when the descending balance reaches \$9.99).
 - (c) Enter "O" on the PS Form 3533 as the final reading for the descending register. (See figure 6-12b).
 - (d) Enter the reason for withdrawal on the PS Form 3533. (See figure 6-12b).
 - (e) Record the register readings for the meter on the PS Form 3610. Indicate on the form the disposition of the meter. Draw a horizontal line under this last entry. The PS Form 3610 must be retained for 2 years "(See figure 6-13 and paragraph 611.3(a)(2)).
 - (f) Give a copy of the PS Form 3533 to the unit's representative. The original of the PS Form 3533 will be submitted with the PS Form 3633-G to the serving gateway postmaster (See paragraph 616.2).
 - (2) If the control total of the register readings of the meter exceeds the control total of the meter or the meter is malfunctioning, the COPE shall:
 - (a) Advise the unit representative and meter manufacturer's representative that a credit for refund can not be made by the MPO/FPO. In all cases of mechanical malfunction of penalty mail postage meters, a determination will be made by the serving gateway postmaster. Additionally, advise the unit representative that the unit's PS Form 3602-A, "Daily Record of Meter Register Readings," for this meter must be retained for at least one year.
 - (b) Request that the meter manufacturer's representative furnish a detailed statement explaining why the meter failed to function properly in accordance with Part 144.364 of the DMM. This report will be sent

by the manufacturer to the appropriate gateway accounting unit (See paragraph 616.2). Upon receipt of the meter manufacturer's letter, the USPS gateway accounting unit will make the appropriate adjustment to the unit's meter account and the unit will be advised.



- (1) The meter manufacturer's representative will be furnished a copy of the unit's PS Form 3602-A, "Daily Record of Meter Register Readings," a copy of the most recent PS Form 3603, "Receipt for Postage Meter Settings" and a copy of the PS Form 3610, "Record of Postage Meter Settings" for that □eter on file at the MPO/FPO.
 - (c) Reset the descending register of the meter to zero or as close to zero as the register can be set. (Most meters will lock out when the descending register reaches \$9.99.)
 - (d) Enter "O" as the final reading for the descending register on the PS Form 3533.
 - (e) Enter the reason for withdrawal on the PS Form⁻³533 (See figure 6-12b.)
 - (f) Record the register readings for the meter on the PS Form 3610. Indicate on the form the disposition of the meter. Draw under this entry a horizontal line. The PS Form 3610 must be retained for 2 years. (See figure 6-13 and paragraph 615.3).
 - (g) prepare a letter explaining circumstances and attach it to the PS Form 3533 that will be included with the "Daily Activity Recap for Official Mail," PS Form 3633-G. (See paragraph 616.2). Give a copy of the letter and PS Form 3533 to the unit representative.

2. Replacing a Meter.

- a. Follow the procedures in paragraph 615.1a through 615.1.b.(2).(g) to cancel the old meter and process a refund credit for any postage remaining on the meter.
- b. Follow the procedures in paragraph 613.1 and 613.2 to install the new meter.
- 3. Returning Meters. Meters that have been checked "out of service" will be returned to the deter manufacturer's representatives by the MPS. Obt a in from the unit the address of the penalty postage meter manufacturer's representative or the address to which the manufacturer desires the meter shipped. The meter will be mailed to that address by USPS penalty registered mail. If the meter representative desires to receipt for the meter at the MPO/FPO, obtain a receipt from the. representative for the meter. Attach this receipt or the mailer's copy of the PS Form 3806, "Receipt for Registered Mail," to the PS Form 3610 for the meter being returned to the manufacturer.

616. REPORTING METER TRANSACTIONS.

1. A PS Form 3633-G, "Daily Recap for Official Mail," will be prepared each day a transaction involving official mail meters occurs at an MPO or FPO. If transactions involving an official meter do not occur a PS Form 3633-G will not

be prepared. Official mail transactions are not reported by military activities on PS Form 1412's. The PS Form 3633-G will be prepared in two copies as per figure 6-14. Attach the following documents to the original copy of the PS Form 3633-G:

- a. PS Form 3603 (duplicate copies).
- b. PS Forms 3533 and supporting documentation (submitted for spoiled postage).
 - c. PS Forms 3533 for canceled or replaced meters.
- d. PS Forms 3635-G, "Postage and Fee Adjustments for Official Mail" (when received from serving gateway postmaster used for revenue adjustments.)
- e. PS Forms 1908, "Financial Adjustment Memorandum" (when received from serving gateway postmaster used for revenue adjustments.)
- 2. Submit the original copy of the PS Form 3633-G with supporting documentation by first class USPS penalty mail to:
 - a. MPS activities served by Postmaster New York or Miami.

Military Auditing Unit General Accounting Office J.A. Farley Building Room 3110 New York, New York 10199-9531

b. MPS activities served by Postmaster San Francisco or Seattle.

General Accounting Office P.O. Box 886000 San Francisco, CA 94188-6000.

- 3. File the duplicate copy in the MPO/FPO files.
- 617. EXAMINATION. COPES shall examine the meters when they reset them or at least every 6 months. They shall determine if the meters operate properly or if they have been tampered with. This shall be done at the MPO.
- 1. The COPE shall determine whether the seal, register window, breakoff screws, top cover, or other visible parts have been broken or tampered with and whether the die hub or meter drum is locked in home position. If evidence of tampering or breakage is found, the COPE shall retain the meter and submit a postal offense report.
- 2. COPES shall check serial numbers to see that they agree with those listed on PS Form 3610 and that the total of the two registers equals the last entry in column 8 of the PS Form 3610. If the meter is not registering properly, the operator-shall take it out of service.
 - 3. COPES shall validate entries on PS Form 3602-A.

4. In addition to making an entry on PS Form 3602-A, the COPE shall also make an entry on the PS Form 3610 when a meter is examined even though it is not reset.

Addition of the Control of the Contr

- 5. Except for the COPE, no one may break the seal placed on a postage meter. Breaking or tampering with this seal is a postal offense.
- 618. EQUIPMENT FAILURE. Service contracts provide for postage meter \(\sigma\) ainte, nance and are established and maintained in accordance with individual Military Service policies. Under no circumstances should the COPE or meter operator tamper with the meter register.

VOLUME I

CHAPTER 6

PART 3

POSTAGE METERS OPERATED BY DOD CONTRACTORS

619. <u>PURPOSE</u>. This section assigns responsibility and prescribes procedures for administering USPS postage meters operated by DoD contractors. DoD contractors authorized to operate postage meters shall only use USPS owned equipment. Leasing of Postage Meters from other sources is not authorized.

620. GENERAL

- 1. Administrative Procedures. Before shipment of the meter to the supporting MPO, MPSA shall forward to the COPE a letter of instruction, PS Form 3601-A, an agreement between the MPO and the DoD contractor covering_the use of the USPS meter, and an initial supply of PS Forms 3603.
- 2. <u>Issuing the Meter</u>. The COPE shall ensure the PS Form 3601-A is completed and the agreement is signed before issuing the meter. The COPE may not set the meter until the contractor provides a check covering the amount of postage desired. PS Form 1590, "Supplies Equipment Receipt," shall be used to document the transfer between the COPE and the DoD contractor. The PS Form 3601-A, the agreement, and a copy of the PS Form 1590 shall be maintained in the MPO files.
- 3. <u>Setting the Meter</u>. The DoD contractor is responsible for returning the meter head to the MPO for resetting, with a check for the amount of postage desired. The COPE shall complete PS Form 3603 in three copies and distribute as follows:
 - a. Original to the contractor.
- b. Duplicate and the check covering postage is mailed to the banking facility of the accountable postmaster (See rule 2, table 6-1). Exception: COPES with flexible credits issued by a postmaster shall refer to paragraph 503.15 for remittance procedures.
 - c. Triplicate is maintained at the MPO.

RULE	If you are:	And are served by:	Then submit paperwork to:
1	Sending second copy of letter authorizing repair of postage meters to your serving	New York or Miami	USPS Supply Unit Room 5124 JAF Building New York, NY 10199-9951
	gateway postmaster	San Francisco or Seattle	Support Services Procurement Specialist senior 1300 Evans Avenue, Room 215 San Francisco, CA 94188-9991
2	Sending a Post Office meter for repair	All MPOs (see Note 1)	Pitney Bowes Incorporated Meter Repair Department Attn: Mr. Karl Rupp Stamford, CT 04901-6529

NOTE 1: All meters will be mailed using registered USPS indicia mail.

Table 6-1. Addresses To Be Used For Repair of Postage Meters





Figure 6-1. Postage Meter Base.



\$200.gr

Figure 6-2. postage Meter Head.

NO N-31	ORIG		. 1
(Unit or Sta This is to certify that the readings of the r Descending register beginning Descending register end RECEIVED FOR POSTAGE as determined by the register readings	(Meter Mfr egisters were as follow 9/75/75 9/000 75/75	(Meter No.) (Date of this at the beginning and end of this Ascending register end Ascending register beginning)
GG JOHN SONES 5P4 Afford (Meter Operator)	Invo	GOD GHNG DOG	trisor)
		ETER SETTING ally when meter is reset)	
Ascending register readings Descending register readings before setting . Number of units added Descending register after setting			te sele e alue e
PS Form 3602-PO Ian 1983		Motor set by	

ORIGINAL	0 —
01D 625859 5W6ER 768314 245EP 8 (Unit or Station) (Meter Mfr.) (Meter No~ (Date)	
This is to certify that the readinga of the registers were as follows at the beginning and end of this date of the descending register beginning and end of this date of the descending register beginning and end of this date of the descending register beginning and end of this date of the descending register end as determined by the register readings. Ascending register beginning and end of this date of the descending register end as determined by the register readings.	982424
(Meter Operator) (Supervi	sor)
REPORT OF METER SETTING (Fill in the following only when meter is reset)	
Ascending register readings	902424

Setting Before Issue. The register reading indicates that the meter contained 17,575 units (\$175.75) when it was checked out of service the previous day. The custodian had added 900,000 units (\$9,000) for a total of 917,575 units (\$9175.75) now on the meter. The ascending register at the time of setting indicated 982,424 units (\$9,824.24) have been expended by the machine from the time it was originally placed in operation. After the meter has been set and all entries completed, the custodian shall sign all copies of PS Form 3602-F@. The beginning ascending and descending meter readings aft er setting shall be entered. on the top of the form. The meter is now ready for release to the operating clerk following the procedures prescribed in paragraph 603.

Figure 6-4. Setting Refore Issue

	ORIGINAL	0
APO 09/44 (Unit or Station) This is to cortify that the readings of the read	(Meter Mfr.) (Meter No.) (Date) isters were as follows at the beginning and end of this	1kv 81
Descending register beginning Descending register end RECEIVED FOR POSTAGE as determined by the register readings	Ascending register end Ascending register beginning	985499
(Meter Operator)	REPORT OF METER SETTING	7 rvisor)
	(FIII in the following only when meter is reset) s	ا م الم المانية التات
Number of units added Descending register register	after setting	900000
PS Form 3602-PO Jan. 1983	Meter set by English	

Setting After Issue. The beginning descending register reading in the top portion indicates that the meter contained 14,500 units (\$145) when the meter was released to the operating clerk at the beginning of the business day and a total of 985,499 units (\$9,854.99) (ascending register reading) expended since the meter was originally placed in operation. The ascending and descending meter readings in the bottom port ion of the form, completed by the custodian at the time of the setting, indicate the operating clerk has collected \$100 in postage funds before the setting. An additional 900,000 units (\$9000) were added. to the descending register and the meter returned to service with a total of 904,500 units (\$9,045).

Figure 6-5. Meter Setting After Issue.

Turn on operatory			
NAME OF ORGANIZATION APPLYING FOR	U.S. Post	al Service	
METER LICENSE	APPLICATION FOR A PO		
	APPLICANT. File at office where mailings will be made. (Part /44, Domestic i Name of Applicant (Print or type)	Applicant Telephone No.	LEAVE BLANK
	52 CSG/DA		THE PARTY AND PERSONAL ACTIONS
ADDRESS OF ORGANIZATION	Address of Applicant (Street, City, State, 211 Code) (Print or type)	Federal Agency	ENTER YOUR FEDERAL AGENCY CODE AND SUB-CODE AS FURNISHED
WHO WILL HAVE LICENSE	52 C.SC/DA, APO NEW YORK 09123-5000	0 3 9 1 1	BY THE OVERSEAS MACOM
AND USE THE METER	Meter to be se Lat (Main office, station, or branch)	Setting Location ZIP Code	
	APO NEW YORK 09123	09123	ENTER ADD/EDD NIMBER
	Signature of Applicant	Date	ENTER APO/FPO NUMBER 'MAT WILL-SET-YOUR-METER
	x	15 SEP 1986	<u></u>
	TO E COMPLETED BY POSTMASTER	License Number Date of Issuance	*
ENTER APO/FPO NUMBER	Retain application in your file. A fter application has been approved, deliver authorization to license holder.)		
THAT WILL SET YOUR METER			
	Us. Post	al Candas	 \
	LICENSE TO USE F	-	
	You are authorized to pay postage on any class of mail by printing meter stam classes of mail.	ps with postage meters, subject to all conditions applying 1. the va	rious DATE SIGNED
/ Y	Post Office	Date License No.	
	Name of License Holder (Address, City, State and ZIP Code)		
	52 CSG/DA APO NEW YORK 09123-5000		
		(Signature of Postmaster	<i>j</i>
ENTER YOUR MAILING ADDRESS HERE	POSTAG ETERS	METER	
	The collection of this information is authorized by 39 USC 401, 404, it will be used to admit public, to an appropriate law enforcement agency for investigative or prosecutive purpo NLRA, and where partinent, in a legal proceeding to which the Postal Service is a party. C	um la s consciuinad affici al vaus comuni. La 2 labor architellas 20 films	
	not receive mater services. NOTE: INFORMATION WHICH	h you will need. Please read it.	
	(Excerpts from Chapter 1, Domestic Mail Manual, Compile pottmas 144.1 POSTAGE METERS	er for more detailed information and for subsequent enuméments.) .223 The meters in the custody of the licensee and his records relating to	moist transact.
	.112 Meter stampe may be used to prepay reply postage on First-Class letters, flats, and	tions or latest Form 3603 must be immediately available for examination as Postal Service or natter manufactures, upon request (see 144.962).	
	postands which do not exceed 12 ounces or single piece, special fourth-class, and library rate stail. 6. Meter stamps must be printed directly on the envelope, postcard, or label that bears the	224 If a mater is not result within a 6-stooch period, it shout be presented related Farm 1402-A or latest Parm 1403 for examination at the post off	
	return address of the meter floruse holder in an amount sufficient to prepay the ap- accurints nontage in full.	branch where it is repularly set. 225 If the meser's printing or recording mechanism is in any way fealty, mediately taken to the post office, station, or branch where it is regularly a	it man; be im-
	b. Only motor stamped, return address labels may be used on single piece, special fourth- ciaes rate or library rate mail and these labels must adhere in such a manner so they will	to be checked out of service. The faulty meter must not be used under any 228 A licensee must notify the licensing post office whenever the nar	circumetendos.
	not come off in one piece. c. Any photographic, mechanical, or electronic process, or any combination of such proc-	phone number on Form 1601-A changes.	
	aser, other than handwriting, typewiking, handstamping may be used to prepare the address side of reply mail prepaid by "MMI UNISI. TIN". CICCMWI DC prepared as to both style and content in the following form without the addition OS" 7	.23 REVOCATION .231 A license may be revoked if a meter is used in operating any scheme	
	White other types a lether applicant:	of an unlawful character, for monuse during any consecutive 12 months, or of the licenses to compy with the regulations governing the use of postage. 222 The rector Scener holder will be notified by the postmaster if the li-	melan.
	(Meter stamp 177) be placed here)	cancelled and the reasons for cancellation, Form 3604, Nonues of Maili Motor License, may be used if cancellating for nonues is being considered	ng Permit ar . If ne written
	NO POSTAGE STAMP NECESSARY POSTAGE NAS DEEN PRÉPAID BY	statement of objection is filed by the Scenes holder within ten days, the scanes the Scenes. If a written suprement is filed, the appeal shall be re-	forest by the
	John Dow Company 123 Tremont Strest, New York, N.Y. 10010-0000	possumeter to the Office of Mail Classification for resolution. The O Classification will notify the license holder of the decision through the postumeter license is roughly, the postumeter will note the date and reason for c Form 3002-A (see 144.21).	skmater. If a
	d. Reply mail prepaid by meter stamps will be delivered only to address of the meter Source holder. If the address is altered, the mail will be held for postage.	i	
	.13 METER MANUFACTURERS Postage meter may be leased from authorized manufacturers who are held responsible	144.3 SETTING METERS	
	by the Postal Service for the control, operation, maintenance, and replacement, when necessary, of meters manufactured by them. The following manufacturers are presently authorized to least meters to maliers:	.31 REQUIREMENT .311 A customer may not have any poolage meter in his possession until	K has been ont.

Figure 6-6. Sample of How to Complete PS Form 3601-A

PITNE	lacturer	?	بر اها					7	Ne		and (·						. : - i			_								M	et e*	Sork	ol No		_	_		, , , , , , , , , , , , , , , , , , , 	ח					
Unit Value	y C			5	2	1	S	6	/1) /	3																				2/			_		· · · · · · · · · · · · · · · · · · ·	4												
01			Ĉ	2				1			5 Al	0,	<u> </u>	4 /		,	, , V	'^4	3 L	,	_	<u>a</u> .	2	9	_ •	<u> </u>	-	/1							"	4	3	4	51	7									
Denomination	H an 11 - 11	0		-4				7		•	,,,		•	V	EU	U,		UK	. ^	•	O.	7/	•	J	_		U	U								1971								7					
INSTRUCTIO					las	نعمد	-1 -4		_			بمذف		-	.	4614	- i-	col		- 1		_							-					1 1	<u> </u>			4					, -, - ,	-					
3. If the 4. When 5. After 6. Venis	a meter is total of re- rescriting is resciting, l realists or	prese prier neter nek r	nird i do , alw neie shec	i ini es en ays i I and I wi	ol od Porti Porti Porti	tling Just Jook ply t	r, ad losi fora cad cadi	id ti eni ish- vesi mes	he a ty i ed b i. Sc of i	iscei ome ome	ndin olum namu elec sters	p an n R, faci itroi	d de mei urer vic n v) Pc	ricei ler s lor nele ostin	hall hall this es de	bet bet pol t tel	be i Posi I rei	r rer esti r, ur suir	odia bu desi	gs l I shu I ii ii e of	o di all t	seri Se ti	min eno eno	red red mic	mete from mete	er tib Hann Pr	e lo vice.	iai e	gen)	fu th	e la	şi et	ntry		ob.	IN	IT	IA	LS	; (of	T	HE COI				DU	JAI	
Date	Receipt	匚		Res	din	011	79	ete	'• B						4		mp.	-	0 /4	•					Cell		4	П) 		line	Res	Jet er	,	Γ		C	DATE	e Te	nat			Sen by	π					
ļ.,	No.		•			•		ı		1	Depo	end 4)	mg			!	Uni	10 (\$4	•	M		ľ			• •	-,,-	•			Afte	r So	-			l		_	3	ky (7		1 7	/					
		17	Т	T	Ϊ	Ŧ	T	+	Т	T	T	Ť	П		+	T	Т	151	T	T	Г		П	寸	<u> </u>	Т	T	Н	7	T	'''	Т	T	T	┢	П		Τ'	7	П	Т	T	(0)/	-					
		H	1	\downarrow	L		4	4	4	4	1	Ļ	Ц	Ц	4	4	1	Ļ	L	Ļ	L	12	Ц	_		\perp	L	Ц	_	\perp		1	┸	┸	L	Ц						2 (2							
02-01-16	14		81	49	9	0	0.1	B].		1	1	L	9	9	2		2 0	10	0	0	0	L	Ц	\bot				Ц			0	29	9	١			9	10	0	0	0	20	7HX4	<u> </u>					
02-04-84	29		81	1	4	71				1	2	5	7			0												2	راه	/ :	25	1				7 2					MH	<u>'-</u>]							
07-05-86			9/	15	7	a	8 1	R			4	12	7		2	7	P	4	15	150	EA	ε	U	4	る	1	4/	0	1	/al	J	Y	sk	k	a	9	01	1					mils	Z					
		H	\blacksquare	F	\exists	Ţ.	7	4	Ŧ	Į.	Ц	\Box	4	Ŧ	Ţ	-	-	-	H	_	H	7	7	+		 		<u> </u>	1	ļ	_	F	H	Ħ	+	1	F	H	4	Ŧ		7							
			ľ	1	1		T	П		1	1	ī	T	T	-	П		П	7	1	†		17	7	1	十	T	T	T																				
			ľ	1	†	+	1	П	H	7	+	+-	t	t	-	Ħ		H	7	\dagger	†	П	H	┪	┪	†	†	t	t																				
	(1) No. According (3) (3) (3) (3) (3) (3) (3) (3) (4) (4) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6														1	ľ	十	T	✝	十	Ħ	┢	Ħ	┪	\dagger	十	十	Ħ	┪	十	十	十	十	╁╴	Н	H		t		H		\dagger		_					
	Colore Receipt Receipt													H	1	1	F	╀	t	Ī -	fi	- 	†	+	+	十	ĺ	1	- f	\dashv	+	+	十	+			1	┢	H	H		\dagger		_					
}	11) No. Ascending (2) (2) (3) (3) (2) (2) (3) (3) (3) (4) (4) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6												H	H	+	t	╁	╂╴	╁	-	\vdash		┨╂	\dashv	+	十		H	╼┟	+	╁	╁	╁	╁	H	Н	+	+	+-	\vdash		╅	}	-					
													Н	H	-		-	╀	╁	-	┢╽		┨╂	+	╅	╀		┨┤	-	╁	╁	╁	╁	╁	\vdash	Н	+	╁	╂╌	Н	+	+	 	\dashv					
						1		ŀ	╫	+	+	╀					-	╀	╀	-	┡┃		l ∤	┥	+	╀		l⊢	- -	+	╬	╁	╀	╁	Н	Н	+	╁	╂╌	H	+	+-	 						
								ŀ	+	+	+	╀	Н	H	4	-	-	╂	╀	-	-		╽╁	+	+	╄		I-∤	-	+	+	╁	╀	+	Н	Н	+	+-	-	\vdash	+	+	}	-					
		4						Į.	4	4	+	╀					L	Ļ	L	_	Ļ			4	4	Ļ		-	-	4	4	+	1	+	H	\sqcup	4	4		H	4	4	ļ	_					
<u></u>		Ш		-	l			Į.	1	1	1	Ļ					L	Ļ	L		Ļ∣		I↓	4	4	$oldsymbol{\perp}$		┨ _┩	_	4	1	4	╄	Ļ		Ц	4	\perp	Ц		4	1	!	_					
								I.	1	\perp		L							L				╽╽			\perp		Ц	_	\downarrow	┵	1	L	$oxed{igspace}$		Ц		\perp	Ц	\sqcup			<u> </u>	_					
		┇┇						I.	\perp	\perp	1	L						L	L				╽╽	$oldsymbol{\perp}$	1	L		Ц	_			\perp	L					L											
								I.				L							L							1.		Ц	_		\perp							L											
										T	T	Γ	Π	1	Į		Ī	Ī	Γ		ΓΙ		ΙŢ	T	Τ	Τ						T		Γ	П	П	T	T	П		Т	T		7					
•								ľ	T	T	1	Γ	П			T	T	Г	Γ		֡֡֓֓֓֓֡֓֓֓֓֓֡֡֓֓֓֓֡֡֓֓֡֡֡֓֓֡֡֡֓֡֡֡֓֓֡֡֡֡			7	1	T		ΙŢ		T	T	T	Т	T	П		1	T	П		T	1		٦					
					1			ľ	T	7	- Н	_					_	十	T	1			1	1	†	T		П	-	1	1	T	T	T	П	7	+	T	Ħ	7	十	十		7					
	1							l.	+	十	†	T	H	1	7	+	十	†	1		H	H	\dashv	十	+	†	M	H	十	7	†	+	十	Ħ	H	-	十	十	忇	十	十	+	 	7					
		H	+	\dagger	1			ŀ	十	+	十	T	H	\dashv	+	十	\dagger	\vdash	\vdash	-	H		-	十	十	十	H	H	+	十	+	+	†	H	H	+	╁	+	H	+	+	+		-					
		H	+	+	1			ŀ	+	+	╁	\vdash	┟┤	+	+	╁	+	+-	1	┝┤	Н		\dashv	+	+	╁╴	H	H	+	+	+	十	╁-	╁┤	\vdash	\dashv	+	+	┢	+	+	+	 						
	24.86 29 8998749															上	L			Ц		2				1		Ц		1	L		L				\perp	<u> L</u>	L		⊥		<u> </u>						
PS Form 35 10,	Mer. 198													8	:co	en							VICE TE		FTT	1847	28								,														

Figure 6-7. Sample of PS Form 3610 Prepared to Show Transfer of Meter to a New Setting Locat ion.




Figure 6-8. Sample of Completed PS Form 3604.




Figure 6-9. Sample of a Modified PS Form 3603 for Setting a Peralty Mail Postage Meter

	COPE OR INDIVIDUAL T THE METER																							
	THE CO	-	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Wills					Γ										·		_		
		-	 -	10	a		+-	+-	-	-				 							 <u> </u>	-		ł
	S (John	Q		1	二																1
	AL.	3	7		0	+	+	 -		一							\vdash			\vdash				
126126	he total equals the last entry in column 8. INITIALS O column 4 and 5. column 4 and 5.	Control Total	Car. 3 pres Cat. 7	988	0																	П		1
9.7	IN T	Ž	•	6	9		+-	\vdash	-	₩		 	ļ		 -	-						_		}
12 m	- 4		3				工																	•
				-	┢╌┼		+	-	_	 	<u> </u>													1
	a cole				त्र																			l
]	Hery 6	1			9		\bot			\Box														ł
	5 2	Ę	Alter Smiles	_	60		╁	-	-	 -											_			
4	1	į			0																			
8	1 T	ğ	,	-	3	-+-	+-	+-	_		_											-		1
	*	٥	,	<u> </u>	+ +		+	 			_													(
Į	he total equals rvice. obsesse 4 and 5	1	,		1-1		4-	<u> </u>		匚														8
8 5		j		-	+ +	-	┿	├	 	-		\vdash									-			Ě
	Troit in	1	3																					<u> </u>
\(\tau \) \(\frac{1}{2} \)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		<u>-</u>	<u> </u>	T	1	<u> </u>																75 E
X ;	checies of the second of the s	4	Į	1	+ -	1			-	╀╌╴				 							 	_	\$	E S
% 1				 	+ 3			—														}		36.5
Ö	4 2 2 2	3	Į	-	0	_}_	+	₽-		—		<u> </u>							-	_	 -		 	Z Z
<u>\</u> \	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Impressions or	Units Bought		000	_			_	\vdash	-			\vdash	 	-								2
9	Mer re-		=		0	\Box																		5 P
	10 m C C C C C C C C C C C C C C C C C C	.		-	a	-	+	┼	١	-												-		Ş
SZCSG/DA APO NEW YORK 09123-5000	Paris Paris	T			n																			U.S. POSTAL SANVICE RECORD OF POSTAGE MEYER SETTINGS
	Posts				6	-	-		_					-								-		l Œ
30 2	B	1	Descending	.i—	1	1	1	1		 -	_		\vdash	 -					-			-		•
142	True Contract	Sotting						匚																
v	100 M	!!	٥	-	1 I	+	1	<u> </u>	_	-				 	\vdash	H								
To the state of th	S of																						-	1
Ī	2 2 2 2 E	Age t			00		\bot																	
8 3	in a series	4	_	\vdash	13	-+-	╁	╁		\vdash		-							_					
O of inf	1 CO T	Reading	According		8006				_															1
120 20	A	ŧ	3	3	79		\perp	\vdash				_		ļ	<u> </u>									1
Land Committee	Parce alected		•		000	+	+	+	-	+		 	\vdash	H	-		H	-		H		_		1
Soules To Change	press griste neter ock					\pm	1		L															
Y Be	meter is ital of re- setting n setting. I ntries on	Receipt	2	WARD	71					<u> </u>													MARD	3
[2]	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-		- §	-	+	+	†	_	一												_	01	آخ
PITALEY ON ON OSSINGLE SE INSTRUCTION	2. When a meter is presented for resetting, add the sacending and descending register readings to determine whether the folials. If the total of registers does not equal last entry in column II, meter shall not be tract but shall be removed from service. 4. When resetting meter, always use tool furnathed by manufacturer for this purpose, unless if is an electronic meter. 5. After resetting, book meter and apply lead vail. Some electronic meters do not require use of a lead seal. 6. After resetting to a lass sheet with new readings of registers. (a) Posting in column 7 shall equal total of entries in column	1	5 :	BROUGHT FORWARD	28-10-80					i i				•									CARRIED FORWARD	PS Form 3810, Mar. 1983

Figure 6-10. Sample of PS Form 361° Prepared to

Initial Setting.

			TOWN WEEKING	
	U.S. POSTAL BERV APPLICATION AND VOUCHE			
	Of POSTAGE AND	FEES	(*) (*)	
	Complete in duplicate by typewriter, ink or indelible pen theroof having names and add ressues of sender and addr Marsual (DMM).	cil and submit to the Postmaster with enveloperate, canceled postage and postal markings. S	e OF Wrapper or portion See 147. Domestic Mail	
	PRIVACY ACT: The collection of this information is to reimburse you when no service is rendered or when p this information may be disclosed to an appropriate law congressional office at your request, to a labor organizating to which the Postal Service is a party. Completion of a refund will not be considered.	outage and fees are poid in excess of the lewfor enforcement agency for investigative or pro on as required by the NLRA, and where perti	nd rate. As a routine use, secutorial surposes, to a secutorial surpos	E PS FORM 3533 BY ADDING OR LICENSE NUMBER AND RIAL NUMBER IF NOT PRE-
	PARI	I I—APPLICATION	,	ON THE FORM NEW PS FORM
	(To be ex	mplexed by Customer)		HAVE BLOCKS FOR THIS
	52 CSG/DA	Yelsphar	INFORMA I	ON.
ENTER THE COMPLETE ADDRESS	Meiling Address	Licens	ie No.	
OF THE ACTIVITY TO WHOM THE	TO SUCCE TO COME		3457 Serial 18.	
LICENSE IS ASSIGNED	+APO NEW YORK 09123-5	000	61261	
ELCENTE LO MONOME	Refund For			
	Postage and special service fees paid on accompanying a	natter which is itemized in Part IV on reverse	. (AIC 536)	
	E Complete and legible unused or spoiled meter stamps le	ss than one year old, which are itemized in Pa	rt IV on reverse. (AIC 536)	
	Unused units in discontinued meter. (AIC 536)			
	P.O. Box Service (AIC 535)	Caller Service (AIC 535)	(List Numbers below)	
		•		
	Other (Explain)		SIGNATURE OF A	ENCY REPRESENTATIVE
				REI RESERVIATIVE
	11-04-86 S	Country of applicant and title, if any, on original of	e la	
		RIFICATION OF REFUND		
	For Office, Supra and IPT Code	ost Office Use Only) Sustian as Branch	Dett	
	APO NEW YORK 09123		11-04-86	
SIGNATURE OFFICES	* Cleur L. Neuth In	Watto H. K.	Blile 1	IGNATURE OF COPE OR NDIVIDUAL AUTHORIZED TO SET THE METER
CROSS" OUT "RECEIVED FROM THE	POSTMASTER PRINTED	(Certifying empl	ENTER THE AMO	UNT OF REFUND (CREDIT)
AT THE OFFICE NAMED ABOVE"	PART III-	RECEIPT FOR REPUND		THE REVERSE OF FORM.
	Received from the Perimenter at the office named oberty, re	und in the amount of \$ 7 , 47		ASH REFUNDS FOR UNUSED
	11-04-86	OFFICIAL MAIL	POSTAGE.	
	Joie)	(Seneture of Payer or Transco: Check or Money (Order Numberj	
	Secure the signature of payer ${\sf U}$ payment is made in	cash. Where used, show Tressury check or room	ny orden number in la U	
	of payer's signature.		ENTER "OFFICIA	L MAIL HERE
	P\$ Form 3533, Feb. 1985			

Figure 6-ha. Sample of a Modified PS Form 3533 (Front) For Refunding Penalty Postage Meter Postage (Crediting Account of Official Mailers.




Figure 6-1 lb, Sample of a Modified PS Form 3533 (Back) For Refunding Penalty Postage Meter Postage (Crediting Account of Official Mailer s.)

	U & POSTAL BERVICE	Deta Res	(el vad	
	APPLICATION AND VOUCHER FOR REFUND			
	OF POSTAGE AND FEES "			
	Complete in duplicate by typewriter, inhor indelible pencil and submit to the Postmaster with thereof having names and addresses of sender and addresses, canceled postage and postal ma Manual (DMM).	h envelope 01 wr arkings. See 147,	tper or portion Domestic Mell	
	PRIVACY ACT: The collection of this information is authorized by 39 U.S.C. 401,403, 40 to reimburse you when no service is rendered or when postage and fore are paid in excess of this information may be disclosed to an appropriate law enforcement agency for lavestigative congruinted office at your request, to a labor organization as required by the NLRA, and whing to which the Postal Service in a party. Completion of this form is voluntary; however, if the refund will not be considered.	the lewful rate. A we ar prosecute here pertinent, this information	MODIFY THE BLOCKS FOR METER SERI PRINTED ON	PS FORM 3533 BY ADDING LICENSE NUMBER AND AL NUMBER IP NOT PRE- I THE FORM. NEW PS FORM NAVE BLOCKS FOR THIS
ENTER, THE COMPLETE ADDRESS !	PART APPLICATION (To be completed by Customer)		IMPORMATI	_
OF THE ACTIVITY TO WHOM THE	Customar's Name (Mini or type)	Telephone No.	Z W O K I Z C I	
LICENSE IS ASSIGNED	52 CSG/DA			
	SA CSG/DA	G3457	7 4/	
		Neter Schal	Ho. 🗡	
	APO NEW YORK 09123-5000	16324	8	
	Refund For		141	
	Destage and special service fees paid on accompanying matter which is itemized in Part IV on	n reverse. (ASC 33	10)	
	O Complete and legible unused or spoiled meter stamps less than one year old, which are itemized	d in Part IV on rew	erse.(AIC S16)	
	De Unused units in discontinued meter. (AIC 536)			
	Callet Service (AIC 535)	(List Num	pets pelow)	
	C) Other (Explain)		ATUREAR	GENCY REPRESENTATIVE (
		, bidi	ATURE OF	GENCI REIRESENTATIVE
		1		
	11-04-86 Khay Lan lun	day		
	(Date of application) / (Surpoin Papplican and title, if any (Sq.	an di mani Amili		
	PARTII-VERIPICATION OF REFUND (For Four Office Line Only)	<u>ں ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ </u>	· · · · · · · · · · · · · · · · · · ·	
	Fort Office, Suero and 21P Code State of State o	10010 A 1	au or t	SIGNATURE OF COPE OR
	APO NEW YORK O9 1a3	/1-9	04-86	INDIVIDUAL AUTHORIZED
SIGNATURE OF WITNES	S 1			TO SET TNE METER
DIGITITORE OF WITHE			4	•
	Leonard a. Bartela. Doughok	mich	*****	*****
CROSS OUT RECEIVED		·will employees	 _* NOTE:	IF THE METER IS WITHDRAWN .
AT TNE OFFICE NAMED				MALFUNCTION ENTER "SEE*
	Received from the Parameter at the office named above, re und in the amount of \$ 171,6	74-		SE AND ATTACHED LETTER. •
	11-04-86 OFFICIAL MAILS	_	****	************
•	11-04-86 OFFICIAL MAIL-		101 - L	
	Secure the signature of payer $f U$ payment $f u$ made in cash. Where used, show Treasury check	ENTER!	"CFFICIAL	MAIL HERE
	OP payee's signature.			
	75 Form 3633, Feb. 1965			

Figure 6-12a Sample of a Modif ied. PS Form 3533 (Front) for Canceling a Pens].ty 6-28

.	POI	PART I		POSTAGE M FRO	PA. HETER WITHDRAMM M BERVICE		PART VI OFFICE USE O			
	•00	UP AND LIST (UNITS OR Y		FOR POST C	FFICE USE ONLY	SPECIAL SERVICE FEES	NOT RE- FUNDABLE	SUBJECT TO REFUND		
•	WAREK OF PIECES	AMOUNT EACH	POSTAGE VALUE	ASCENDING REGISTER	482836	Legatry				
				READING OF DESCENDING REGISTER BEFORE CHECKOUT	17164	entifled ENTER	R ZERO N	, JERE		
				READING OF DESCENDING REGISTER AFTER CHECKOUT	-0-	:.O.D.	T ZERO T	<u>NEINE</u>		
				AMOUNT TO BE REFUNDED-	17164	ipecial mediang			, i	
* NOTE: IF METER IS MA				Marie wunder	248	ebvery			V PART TIL	
* CONTROL TOTAL DOES NO * CONTROL TOTAL ON THE	PS FOR	H 3610	FOR *	WHIT ALIVE	01	ON THE	THIS TO	OF THE	N PART III E FORM	
* THE METER LEAVE AMOUN * AND POSTAGE VALUE BLOO			NTER *	PITNEY	BOWES	TOTAL DETAGE				
* IN THE REASON FOR WITH * "METER WITHDRAWN DUE"			*	POSTAGE VALUE REASON FOR WIT	171.64	ENTER T	HE CONT	ROL TO	TAL (THE TOTAL ISTER AND THE	
* SEE ATTACHED LETTER. * MADE PER PART 147.251	NO RE	FUND CR	EDIT *	CONTROL		DESCHNO			BBE FORE CHECKOUT)	
* DHM." (SEE PARAGRAPH				500	0000	Ifuad CERT	TIFICATION			
	****	****	****	METER I	NO LONGER	ENTER	THE REAS		WITHDRAWAL (1.E. Uired , Meter	1
				REQUI		REPLAC			, , , , , , , , , , , , , , , , , , , ,	_
						POST OFFICE		-		
						MORE REVEN	AR CHILL S VA	MUALLY		
						- Augusta	rinal employee)			
						' ALL OTHE	r post off	ICES		
	TOTAL POSTAGE V	ALUE	ş				Castas Fa albas	ded .		
I	* TOTAL SERVICE	****	\$	APO N	1 09123					
	TOTAL REI CLAIMED Placindo	for for 1904	5 ind dulbrory, special	SIGNATURE -OF	MA OVER				INDIVIDUAL	
	fied, injuring NOTE (1946) (19	to, and C.O.D. inurally food po wronco, and C.I	uries. Id for melitration. 2.0. meries are not	bm.	Kent	green of \$2	130 OC.	1111	E METER	
	11 1 mm 35:	13, 1 ch. 1985 /	Reverse)		e u.s. Gave	ENT PRINTING	Gesicki sål	85-475-741		

Figure 6-12b. Sample of a Modified I'S Form 3533 (Back) For Canceling a Penalty Postage Meter,

Danamington Danamington Danamington Danamington Danamington	BMULTI NS 1 W	iej s	radi	7/	20	C.	Selen	21/10	t of	unia din	15 } i	and des	i, res	pec!	irel	y, wi	eille le le	ud e		othic the	epul	lor, e	and i	lacio	Pho rde i	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	otel	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>स्</u> र	inc	ołu i	ma (
4. When 5. Alter 6. Vends	PARTIES BALLES COMMI STRUCTIONS & When presented for install setting, on 2. When a meter in presented for restall setting, on 3. If the total of registers does not equal last entry in 4. When resetting meter, always we not furnished by 5. After resetting, buck meter and apply lead seal Soo 6. Verify enters on this sheet with new readings of tr beams 3 and 7 and also be the tome as entry in meter hou Does Records No. According (1) (2) (3) 10000HT FORWARD 2-0/-86 14 8799008 2-0/-86 29 8998799799													e the est d me in	o Ro	il ic	EUH:	nêç 35 E **#	19 11 10 1	an i	tecs: 4 ses	i man	-	168			,~	\$. (b)	wii	~ t	r co.	•														LND CER		ID	UA	Ţ,
1	According Done Process According Records According Records Records															-	(6)	-w	-		^	-	(G)	Hacto	# T	'		Alter T	-	•	*** 		- ₁ -	7	_	-	100 0 Co	-	- - -	-	_	\$00 b 191									
02.01.86	14		889	79	8	2	1.5				<u> </u>		792			1	000 6	7	0									20 P 4 V + * * * * * * * *	LA PII MURP	TT S F I P E S	AC FIFE C	CHI OF ALERO E IN (LI RI M I P	E E E T 36 Y	9 E R S N N 8 T R I E 10 E	AII O O S A () AI	LE MENCO	RTOATT	NATHE	O UF IV P	COZACIOS R	PS CT PIO II A PO	UR CK SI	REI S 1 IGN 36	M R. THE NEI 610	36 IF ME D).	10 THE THE RO	R A	k		
CARRIED FO	WARD .	†	╌┟╌	H	+	†	+	T	H	+	\dagger	+	H	+	+	+	H	H	+	- - s	H	-	\dagger	+	H	+	†	$\dagger \dagger$	H	+	†	†	+	H	1	\dagger	†	+	H	H		•	ㅓ								
	ITALE Y BOWES Value O/ Interpolation NOLE MAINLES COMMI TRUCTIONS I When prevented for install arthur, enter reads I. When a meter in prevented for reacting, and the attending is I. When a meter in prevented for reacting, and the attending is I. When a meter in prevented for reacting, and the attending is I. When a meter in prevented for reacting, and the attending in the attending in column is I. When reacting meter, always we treal furnished by monuta S. Alter reacting, inch meter and apply lead seal Source electric for Veril century on this wheel with new readings in registers may I and I and also be the tame as cater in meter house, I arm Once Reacous Ho. According Descent According Descent (1) (2) (3) (4) AUGHT FORWARD (1) (4) AUGHT FORWARD (2) (3) (4)															ľ		051	41	F.E.F.	VIE		<u>ا</u>	1	<u>.</u>	<u>.</u>	1	1_1			J.	1_	٠,		_1	_1_		<u> </u>					ئے								

Figure 6-13. Sample of PS Form 361() Prepared to Show shipment of Meter Back to Manufacturer.




Figure 6-14. Sample of Completed PS Form 3633-C, Daily Activity Recap, for Official Mail.